

Public SIP Trunking Interoperability and Technical Support procedure

This document describes the ALE process for the approval and support of public SIP Trunk solutions with the OXO Connect & OXO Connect Evolution. The doc also updates the reference list of supported solutions.

Revision History

Edition 1: August 25, 2012	creation of the document.
Edition 2 to 111: up to 31 st March 2022	previous updates.
Edition 112: 29 th April 2022	last update.

Legal notice:

www.al-enterprise.com The Alcatel-Lucent name and logo are trademarks of Nokia used under license by ALE. To view other trademarks used by affiliated companies of ALE Holding, visit: www.al-enterprise.com/en/legal/trademarks-copyright. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Neither ALE Holding nor any of its affiliates assumes any responsibility for inaccuracies contained herein. © Copyright 2022 ALE International, ALE USA Inc. All rights reserved in all countries.

Table of contents

1 SIP Trunks.....	3
2 ALE process in relation with public SIP Trunk solutions.....	3
2.1 Approval.....	3
2.2 Technical Support	3
2.3 Reference resources.....	4
3 ALE list of supported SIP Trunk solutions.....	5
4 Phased out Releases – GA solutions	39
5 Ongoing Projects.....	49
6 Aborted Projects	50

1 SIP Trunks

The **Session Initiation Protocol (SIP)** is a signalling protocol widely used for controlling multimedia communication sessions such as voice and video calls over IP networks. Although SIP is based on a public standard (RFC 3261), the numerous features with variants and optional RFCs is propitious to interoperability issues between different SIP products.

A SIP trunk connection is available since OXO R5.0 for VoIP and FoIP calls with compatible gateways or PBX's. The feature also provides some basic call facilities like DTMF transmission, call forward, transfer, 3-party conference ...

2 ALE process in relation with public SIP Trunk solutions

2.1 Approval

A solution involving OXO and a Public SIP network must be approved by ALE thru a specific process intended to set up and validate the SIP interop perimeter proper to the solution. The validation is done in collaboration with ALE Business Partners by passing a suite of SIP tests and consolidating the end user operation on one or more pilot customer sites.

As a Business Partner, you can contact your ALE local representatives if you would like to help approving a new SIP provider. To get more detailed information, please send your request to sip-for-smb@al-enterprise.com.

2.2 Technical Support

The support of public SIP Trunks on the OXO Connect and OXO Connect Evolution, is restricted to the sole solutions listed in Ch.3 hereafter. Each of those approved solutions has a differentiated status grade (LA, MA or GA) corresponding to a proper model of support delivered by ALE:

- **GA solutions (General Availability):** these solutions are approved for free deployment as of the specifications published by ALE in the dedicated configuration guide. **When the doc conditions are respected, technical assistance, expertise and bug correction are ensured by ALE following the standard policy and SLAs.** For an issue occurring during the valid period of support of the OXO SW release, a Business Partner must just open a normal Service Request indicating the name of the SIP Provider.
- **LA/MA solutions (Limited Availability/Migrated Availability):** the pilot-site program which is required to reach the GA approval level of the solution is open but is either not achieved or not yet started. **The solution is therefore NOT open for free deployment on customer sites.** As a partner, you can contact our organization via email (sip-for-smb@al-enterprise.com) if you wish to join the pilot program or just want to be informed of its progress. **The LA/MA support is then a specific assistance delivered for customer pilot-sites. The Pilot sites must have been identified and agreed by ALE before their installation.** During the pilot period (at least 4 weeks), the systems are monitored remotely by ALE and the associated Business Partner benefits of privileged access to ALE Technical Support resources.



To benefit of ALE support, a GA solution must respect the specified OXO release and the conditions of the ALE Configuration guide. However, when the GA solution is based on an old OXO Release which is not the current "Support Release" of the branch (e.g. OXO Connect R3.0, R3.1 in the branch of OXO Connect R3.X and so on), then respecting the OXO release may present a practical issue:

- 1st case: the GA solution must be deployed on a new site. We recommend that you rather install the current "Support Release" of the branch (e.g. OXO Connect R3.2 in the branch of OXO Connect R3. and so on).
- 2nd case: the GA solution has been running for a long period on a site. For maintenance reasons, you wish or need to upgrade OXO with the current "Support Release" of the branch (e.g. OXO Connect R3.2 in the branch of OXO Connect R3.X and so on).

Recommendation for these two situations:

First, check herein in the Ch.3 tables what is the status (GA or LA/MA) given to the solution with the SIP Provider and the up-to-date OXO Release. If the status is GA, then you can deploy freely without additional constraint. If the status is LA/MA and you decide to go to this configuration, then you must contact ALE before starting the solution as requested here above to get the dedicated /MA support.

2.3 Reference resources

ALE publishes on its Web portal the reference resources associated to the supported SIP solutions:

- **For GA solutions:** a dedicated TC configuration guide (plus the associated GA SIP profile if OXO \geq R10.0)
- **For MA solutions:** no configuration guides are delivered before the GA step. Since Feb. 2016, to facilitate setup and approval of SIP solutions with the most recent OXO releases, **MA** SIP profiles are also published under certain conditions. Presently, MA SIP profiles OXO Connect R3.x, R4.0 or Connect R5.0 are provided for the SIP Providers which are already GA-approved on previous OXO releases (Use the corresponding Conf. Guide TC). **Before using one of the MA SIP profiles for a Pilot site, you must however contact ALE as of the support conditions mentioned in the LA/MA section of Ch. 2.2.**
- **For LA solutions:** no configuration guides are delivered before the GA step. **For a Pilot site, you must contact ALE as of the support conditions mentioned in the LA/MA section of Ch. 2.2.**



Detailed information concerning the management of SIP Trunk Profiles is available in the Technical Bulletin TC1994 ("SIP EASY CONNECT: SIP Trunk Profile Import/Export").

3 ALE list of supported SIP Trunk solutions

The following tables give a reference status of the SIP Trunk solutions currently supported in LA/MA or GA status. These tables are regularly updated with the last-approved Providers and adapted when necessary to the product's evolution (i.e. adding new OXO releases or clearing out those gone out of support).














GA solutions are noted with their TC ref. of configuration guide plus the applicable OXO release. Or only the applicable release, in case of automatic GA report (whenever possible) in the next release(s). The TC configuration guide to use, is then the most recent release one having a TC ref.

























MA solutions mention the OXO release applicable SIP profile. The TC configuration guide to use, is then the most recent GA release one having a TC ref.
LA solutions just mention the applicable OXO release.

























OXO Connect R3.2, R4.0 and OXO Connect R5.0 share the same TC Configuration guide and the same sip profile. Therefore use OXO Connect R3.2 inputs for OXO Connect R4.0 deployment.












Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
Andorra	 Andorra Telecom	Limited Availability				
		General Availability	(R3.2)	TC2777 (R4.0)	(R5.0)	
Argentina	 Telecom Argentina	Limited Availability		● R4.0	● R5.0	
		General Availability				
Australia	 Exetel	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 iBoss	Limited Availability		● R4.0	● R5.0	
		General Availability				
	 MyNetFone	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Optus	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Telstra	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	Austria	 4 Telecom Services	Limited Availability			
			General Availability	TC2774 (R3.1) (R3.2)	(R4.0)	(R5.0)
 A 1		Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
 A 1 (Business VoIP)		Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
 A 1 (IP-SIP Trunk)		Limited Availability				
		General Availability	TC2497 (R3.0) TC2675 (R3.2)	TC2856 ed2 (R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Austria	 A1 A1 (METRO)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 iKB Eins für alle. IKB	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 INTELCO Inntelco	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 NeoTel NeoTel Business Trunk	Limited Availability			
		General Availability	TC2606 (R3.0) TC2676 (R3.2)	(R4.0)	(R5.0)
	 NeoTel NeoTel Private SIP Trunk	Limited Availability			
		General Availability	TC2607 (R3.0) TC2677 (R3.2)	(R4.0)	(R5.0)
	 net-cloud.at Ihr Partner für Cloud- und Telefonie-Services Net-Cloud	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 next layer Next Layer	Limited Availability			
		General Availability		TC2766 (R4.0)	(R5.0)
	 N FON N FON	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 TELE2 TELE 2	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
	General Availability				
 upc UPC	Limited Availability				
	General Availability	TC2569 (R3.0) TC2678 (R3.2)	(R4.0)	(R5.0)	
Bahrain	 Batelco Batelco	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
Bahrain	 Kalaam	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
Belgium	 3Starsnet	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Intellinet	Limited Availability		● R4.0	● R5.0	
		General Availability				
	 Ipsys	Limited Availability			● R5.0	
		General Availability				
	 Orange	Limited Availability		● R4.0	● R5.0	
		General Availability				
	 Proximus (LAN-LAN/IP-VPN)	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Proximus (Router with SIP-ALG-TOPO B)	Limited Availability				
		General Availability		TC2882 (R4.0)	(R5.0)	
	 Proximus (Remote Hosted NAT)	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Telenet (Router with SIP-ALG-TOPO B)	Limited Availability				
		General Availability		TC2881 (R4.0)	(R5.0)	
	Bolivia	 Tigo	Limited Availability	● R3.2	● R4.0	● R5.0
			General Availability			
Brazil	 Unitel Telecom	Limited Availability				
		General Availability	TC2674 (R3.1) TC2697 (R3.2)	TC2861 (R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Brazil	 Vivo	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Voitel	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
Cambodia	 Camintel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 TELECOM CAMBODIA Telecom Cambodia	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Canada	 AllStream	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Bell Canada	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Iristel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 RNT	Limited Availability			
		General Availability	TC2726 (R3.2)	(R4.0)	(R5.0)
	 Rogers	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Telenet	Limited Availability			
		General Availability	TC2587 (R3.1) TC2695 (R3.2)	(R4.0)	(R5.0)
	 Telephone	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Canada	 VIDEOTRON Videotron	Limited Availability		● R4.0	● R5.0
		General Availability			
	 VOIP.MS VoIP.ms	Limited Availability			● R5.0
		General Availability			
Chile	 entel Entel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Colombia	 Claro Claro	Limited Availability			
		General Availability	TC2670 (R3.1) TC2696 (R3.2)	(R4.0)	(R5.0)
	 eTb ETB	Limited Availability	● R3.2		
		General Availability		TC2870 (R4.0)	(R5.0)
	 net2phone Net2phone	Limited Availability		● R4.0	● R5.0
		General Availability			
Croatia	 Optima Optima Telekom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Cyprus	 cyta Cyta	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 PRIMETEL Primetel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Denmark	 uni-tel Uni-Tel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 inmarsat Inmarsat	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
El Salvador	 movistar Telefonica (movistar)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Finland	 Fujitsu	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 TELEOPERAATTORI Line Carrier	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Telia	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
France	 FRANCE ABI Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 ADD ON TELECOM Add-On	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Adista	Limited Availability			
		General Availability		TC2893 (R4.0)	(R5.0)
	 Axians	Limited Availability			
		General Availability	TC2611 (R3.0) TC2706 (R3.2)	(R4.0)	(R5.0)
	 Bretagne Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Codepi	Limited Availability	● R3.2 (MA)		
		General Availability		TC2805 (R4.0)	(R5.0)
	 Colt (LAN-LAN/IP-VPN - TOPO A)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
France	 Colt (Remote Hosted NAT-TOPO C)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Completel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Coriolis Telecom	Limited Availability			
		General Availability	TC2625 (R3.1) TC2701 (R3.2)	(R4.0)	(R5.0)
	 C'PRO Telecom	Limited Availability			
		General Availability		TC2903 (R4.0)	(R5.0)
	 Dauphin Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Fingerprint	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Foliateam	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Hexanet	Limited Availability	● R3.2 (MA)		
		General Availability		TC2878 (R4.0)	(R5.0)
	 Hexatel	Limited Availability			
		General Availability	TC2623 (R3.0) TC2705 (R3.1) TC2709 (R3.2)	TC2826 (R4.0)	(R5.0)
	 Idom	Limited Availability		● R4.0	● R5.0
		General Availability			
 IP Directions	Limited Availability	● R3.2			
	General Availability		TC2817 (R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
France	 IT'Tek	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Jaguar	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Keyyo	Limited Availability			
		General Availability	TC2534 (R3.0) TC2637 (R3.1) TC2707 ed2 (R3.2)	TC2890 (R4.0)	(R5.0)
	 Legos	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Leonix	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Linkersip	Limited Availability	● R3.2 (MA)		
		General Availability		TC2968 (R4.0)	(R5.0)
	 Linkt	Limited Availability			
		General Availability	TC2749 (R3.2)	TC2802 (R4.0)	(R5.0)
	 Nerim	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Network Telecom	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 NXO Telecom	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
 OBS-Biv	Limited Availability				
	General Availability	TC2612 ed2 (R3.0) TC2708 (R3.2)	(R4.0)	TC2933 (R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
France		Limited Availability			
		General Availability	TC2666 (R3.1) TC2681 (R3.2)	(R4.0)	(R5.0)
	 Oceanet Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 ONE OPERATEUR One Operateur (LAN-LAN/IP-VPN - TOPO A)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 ONE OPERATEUR One Operateur (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 ONE OPERATEUR One Operateur (CENTILE)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 OpenIP	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 OpenIP (MyOPENIP)	Limited Availability			
		General Availability	TC2537 (R3.0) TC2624 ed3 (R3.1) TC2692 (R3.2)	TC2806 (R4.0)	(R5.0)
	 OpenVNO (Alphalink)	Limited Availability			
		General Availability	TC2522 (R3.0) TC2741 (R3.2)	TC2814 (R4.0)	(R5.0)
	 OVH	Limited Availability			
		General Availability	TC2523 (R3.0) TC2730 (R3.2)	(R4.0)	(R5.0)
	 Phenix - Partner	Limited Availability			
		General Availability			TC2967 (R5.0)
 SCT	Limited Availability				
	General Availability	TC2576 (R3.0) TC2731 (R3.2)	(R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
France	 Unyc (Serveurcom)	Limited Availability			
		General Availability	TC2501 ed2 (R3.0) TC2702 (R3.2)	(R4.0)	(R5.0)
	 Sewan	Limited Availability			
		General Availability	TC2498 (R3.0) TC2653 (R3.1) TC2732 (R3.2)	(R4.0)	TC2947 (R5.0)
	 SFR (LAN-LAN/IP-VPN-TOPO A)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 SFR (Remote Hosted NAT-TOPO C)	Limited Availability			
		General Availability	TC2654 (R3.1) TC2733 (R3.2)	(R4.0)	(R5.0)
	 SFR (numericable) (OXO Static NAT - TOPO D)	Limited Availability		● R4.0	● R5.0
		General Availability			
	 SFR CARAIBE SFR Caraibe (Outremer Telecom) (Remote Hosted NAT-TOPO C)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 SFR CARAIBE SFR Caraibe (Outremer Telecom) (OXO Static NAT - TOPO D)	Limited Availability	● R3.2		
		General Availability		TC2804 (R4.0)	(R5.0)
	 Synelyans A	Limited Availability			
		General Availability	TC2541 (R3.0) TC2742 (R3.2)	(R4.0)	(R5.0)
	 Synelyans F	Limited Availability			
		General Availability	TC2563 (R3.0) TC2743 (R3.2)	(R4.0)	(R5.0)
	 Telecom Object	Limited Availability			
		General Availability	TC2551 (R3.0) TC2744 (R3.2)	(R4.0)	(R5.0)
 Trinaps	Limited Availability	● R3.2	● R4.0		
	General Availability			TC2943 (R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Germany	 1&1 versatel 1&1 Versatel (Remote Hosted NAT-TOPO C)	Limited Availability			
		General Availability	TC2638 (R3.1) TC2745 (R3.2)	(R4.0)	(R5.0)
	 1&1 versatel 1&1 Versatel (OXO Static NAT - TOPO D)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 BiTel BiTel	Limited Availability			
		General Availability	TC2693 (R3.1) TC2752 (R3.2)	(R4.0)	(R5.0)
	 colt Colt (OXO Static NAT - TOPO D)	Limited Availability			● R5.0
		General Availability			
	 COMMUNICATION CONCEPT Communication Concept	Limited Availability	● R3.2		
		General Availability		TC2776 (R4.0)	(R5.0)
	 Deutsche Telefon Deutsche Telefon	Limited Availability			
		General Availability	TC2589 (R3.0) TC2753 (R3.2)	(R4.0)	(R5.0)
	 Deutsche Telekom CompanyFlex	Limited Availability			
		General Availability		TC2871 ed2 (R4.0)	(R5.0)
	 Deutsche Telekom DeutschlandLAN SIP Trunk	Limited Availability			
		General Availability	TC2483 ed2 (R3.0) TC2635 (R3.1) TC2754 (R3.2)	(R4.0)	(R5.0)
	 Deutsche Telekom DLAN IP Voice/Data (Router with SIP-ALG-TOPO B)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
 Deutsche Telekom DLAN IP Voice/Data (Remote Hosted NAT-TOPO C)	Limited Availability				
	General Availability	TC2524 (R3.0) TC2634 (R3.1) TC2755 (R3.2)	(R4.0)	TC2935 (R5.0)	
 easybell Easybell	Limited Availability				
	General Availability	TC2499 (R3.0) TC2756 ed2 (R3.2)	TC2891 (R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Germany	 Ecotel	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Ecotel Trunk 2.0	Limited Availability			
		General Availability	TC2672 ed2 (R3.1) TC2768 (R3.2)	(R4.0)	(R5.0)
	 EmslandTel.NET	Limited Availability			
		General Availability	TC2669 (R3.1) TC2769 (R3.2)	(R4.0)	(R5.0)
	 Entega	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 EnviaTel	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Euronics Baumann	Limited Availability			
		General Availability		TC2828 (R4.0)	(R5.0)
	 Ewe Tel (SIP TRUNK - NEW PLATFORM)	Limited Availability			
		General Availability		TC2877 (R4.0)	(R5.0)
	 Ewe Tel (SIP USER - NEW PLATFORM)	Limited Availability			
		General Availability		TC2892 (R4.0)	(R5.0)
	 gnTel	Limited Availability	● R3.2		
		General Availability		TC2843 (R4.0)	(R5.0)
	 HFO Telecom	Limited Availability			
		General Availability	TC2545 (R3.0) TC2770 (R3.2)	(R4.0)	(R5.0)
 htp	Limited Availability				
	General Availability	TC2615 (R3.1) TC2771 (R3.2)	(R4.0)	(R5.0)	












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Germany	 htp SIP Trunk smart	Limited Availability		● R4.0	
		General Availability			TC2966 (R5.0)
	 CONNECTING YOUR BUSINESS Inexio	Limited Availability			
		General Availability	TC2610 (R3.1) TC2772 (R3.2)	(R4.0)	(R5.0)
	 NetSolutions GmbH ITK Connect	Limited Availability			
		General Availability	TC2573 (R3.0) TC2778 (R3.2)	(R4.0)	(R5.0)
	 Mehr Freiraum. Mehr Leben. Komro	Limited Availability			
		General Availability	TC2604 (R3.0) TC2779 (R3.2)	(R4.0)	(R5.0)
	 LWLcom	Limited Availability			
		General Availability	TC2845 (R3.2)	(R4.0)	(R5.0)
	 Mein Netz M-net	Limited Availability			
		General Availability	TC2525 (R3.0) TC2780 (R3.2)	(R4.0)	(R5.0)
	 NetCologne	Limited Availability	● R3.2		
		General Availability		TC2787 (R4.0)	(R5.0)
	 Business PÿUR (HL Komm) (Remote Hosted NAT-TOPO C)	Limited Availability			
		General Availability	TC2550 (R3.0) TC2636 (R3.1) TC2781 (R3.2)	TC2913 (R4.0)	TC2934 (R5.0)
	 Business PÿUR (HL Komm) (Router with SIP-ALG -TOPO B)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Ein Unternehmen der EnBW Plusnet (QSC)	Limited Availability			
		General Availability	TC2538 (R3.0) TC2767 (R3.2)	TC2773 (R4.0)	(R5.0)
 Ein Unternehmen der EnBW Plusnet (QSC) SIP DDI Trunk	Limited Availability		● R4.0	● R5.0	
	General Availability				












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Germany	 reventix [®] einfach. clever. verbunden. Reventix	Limited Availability			
		General Availability	TC2490 (R3.0) TC2782 (R3.2)	TC2765 (R4.0)	(R5.0)
	 R-Kom	Limited Availability	● R3.2		
		General Availability		TC2862 (R4.0)	(R5.0)
	 SIPgate	Limited Availability			
		General Availability	TC2704 (R3.1) TC2791 (R3.2)	(R4.0)	(R5.0)
	 NETWORK SOLUTIONS Soco	Limited Availability			
		General Availability	TC2663 (R3.1) TC2792 (R3.2)	(R4.0)	(R5.0)
	 STADTNETZ BAMBERG Stadtnetz Bamberg	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Stadtwerke Merseburg	Limited Availability			
		General Availability	TC2553 (R3.0) TC2633 (R3.1) TC2793 (R3.2)	(R4.0)	TC2914 (R5.0)
	 Stadtwerke Rhede	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Stiegeler	Limited Availability			● R5.0
		General Availability			
	 SWT trilan GmbH SWT Trilan (DDI)	Limited Availability			
		General Availability	TC2855 (R3.2)	(R4.0)	(R5.0)
	 SWT trilan GmbH SWT Trilan (MSN)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Telepark Passau Telepark Passau	Limited Availability		● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Germany	 Tele Sys Kommunikationstechnik Telesys	Limited Availability			
		General Availability	TC2673 (R3.2)	(R4.0)	(R5.0)
	 unitymedia business UnityMedia	Limited Availability			
		General Availability	TC2690 (R3.2)	(R4.0)	(R5.0)
	 vodafone Vodafone	Limited Availability			
		General Availability	TC2578 (R3.0) TC2728 (R3.2)	(R4.0)	(R5.0)
	 voiceforce.one Voiceforce.one	Limited Availability			
		General Availability	TC2694 (R3.1) TC2794 (R3.2)	(R4.0)	(R5.0)
	 voiceworks Voiceworks	Limited Availability			
		General Availability	TC2652 (R3.1) TC2795 (R3.2)	(R4.0)	(R5.0)
	 wilhelm.tel Wilhelm.tel	Limited Availability			
		General Availability		TC2880 (R4.0)	(R5.0)
	 willy.tel Willy.Tel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 WOBKOM Wobcom	Limited Availability				
	General Availability		TC2872 (R4.0)	(R5.0)	
Greece	 microbase Microbase (Ephone)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 modulus Modulus	Limited Availability			● R5.0
		General Availability			
	 OTE	Limited Availability			
		General Availability	TC2688 (R3.2)	(R4.0)	(R5.0)












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Guatemala	 Claro	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Tigo (Router with SIP-ALG -TOPO B)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Tigo (Remote Hosted NAT-TOPO C)	Limited Availability			
		General Availability		TC2860 (R4.0)	(R5.0)
Guinea	 Orange	Limited Availability			
		General Availability		TC2842 (R4.0)	(R5.0)
Honduras	 Claro	Limited Availability		● R4.0	
		General Availability			TC2946 (R5.0)
Hong Kong	 HONG KONG BROADBAND NETWORK HKBN	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Hungary	 Ace Telecom	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Ephone	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Intellicom	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Magyar Telekom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Vodafone (UPC)	Limited Availability			● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
India	 Airtel	Limited Availability		● R4.0	● R5.0
		General Availability			
	 BSNL	Limited Availability	● R3.2		
		General Availability		TC2912 (R4.0)	(R5.0)
	 Dhiraagu	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 TATA COMMUNICATIONS TATA	Limited Availability			
		General Availability	TC2643 (R3.2)	(R4.0)	(R5.0)
Indonesia	 Telkom Indonesia Telkom Indonesia	Limited Availability		● R4.0	● R5.0
		General Availability			
Ireland	 intellicom. Intellicom.io	Limited Availability		● R4.0	● R5.0
		General Availability			
	 ON VOIP OnVoIP (G7eleven)	Limited Availability	● R3.2 (MA)		
		General Availability		TC2750 (R4.0)	(R5.0)
	 TELCOM Next Generation Voice and Data Telcom	Limited Availability			● R5.0
		General Availability			
	 Viatel	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
 Welltel	Limited Availability				
	General Availability	TC2671 (R3.1) TC2808 (R3.2)	TC2927 (R4.0)	(R5.0)	
Italy	 Active Network	Limited Availability			
		General Availability	TC2854 (R3.2)	(R4.0)	(R5.0)












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Italy	 ASCOTIC <small>Innovation business partner</small> Asco Tlc	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 CLOUDITALIA CloudItalia (with VPN MPLS)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 CLOUDITALIA CloudItalia (without VPN MPLS)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 colt Colt	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 MESSAGENET™ Messagenet	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Mynet Mynet	Limited Availability			
		General Availability		TC2941 (R4.0)	(R5.0)
	 NETandWORK <small>Società Internet per lo Sviluppo</small> Net and work	Limited Availability			
		General Availability	TC2729 (R3.2)	(R4.0)	(R5.0)
	 Planetel Planetel	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 PLINK <small>TELECOMUNICAZIONI</small> Plink	Limited Availability		● R4.0	● R5.0
		General Availability			
	 REDER Redder	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 ReteTel italia <small>INTERNET OVUNQUE</small> ReteTel	Limited Availability		● R4.0	● R5.0	
	General Availability				












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Italy	 TIM (Telecom Italia)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 TIM - TTS Internet	Limited Availability		● R4.0	● R5.0
		General Availability			
	 VoIPTEL Italia	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Voipvoice	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Wind	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 business communication X-Stream	Limited Availability			
		General Availability	TC2775 (R3.2)	(R4.0)	(R5.0)
Kenya	 Safaricom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Latvia	 Lattelecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Luxembourg	 Telkea	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Macao	 澳門電訊 CTM	Limited Availability		● R4.0	● R5.0
		General Availability			
Malaysia	 Teletouch	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Maldives	 Dhiraagu	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Malta	 GO (Router with SIP-ALG - TOPO B)	Limited Availability		● R4.0	● R5.0
		General Availability			
	 GO (Remote Hosted NAT-TOPO C)	Limited Availability			
		General Availability		TC2815 (R4.0)	(R5.0)
Mauritius	 EMTEL Feel Free Emtel	Limited Availability		● R4.0	● R5.0
		General Availability			
Monaco	 monaco telecom Monaco Telecom	Limited Availability		● R4.0	● R5.0
		General Availability			
Morocco	 orange Orange (LAN-LAN/IP-VPN - TOPO A)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 orange Orange (Remote Hosted NAT - TOPO C)	Limited Availability			
		General Availability		TC2969 (R4.0)	(R5.0)
Netherlands	 ICT provider ICTprovider	Limited Availability			
		General Availability	TC2649 (R3.1) TC2809 (R3.2)	(R4.0)	(R5.0)
	 infopact network & communicatie Infopact	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 kpn KPN	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 myconnect My-Connect	Limited Availability			
		General Availability	TC2577 (R3.0) TC2810 (R3.2)	(R4.0)	(R5.0)












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Netherlands	 Redworks	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 RoutIT	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Sollie.Comm	Limited Availability			
		General Availability	TC2651 (R3.1) TC2811 (R3.2)	(R4.0)	(R5.0)
	 ViPro Services	Limited Availability			
		General Availability	TC2650 (R3.1) TC2812 (R3.2)	(R4.0)	(R5.0)
	 Voiceworks	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Ziggo	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Winitu Comm.	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 X2COM	Limited Availability	● R3.2	● R4.0	● R5.0	
	General Availability				
New Zealand	 Spark (TNZ)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 WorldxChange	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Norway	 Altibox	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Norway	 Phonero	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Telenor (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Telenor (OXO Static NAT - TOPO D)	Limited Availability			
		General Availability	TC2656 (R3.1) TC2818 (R3.2)	TC2829 (R4.0)	(R5.0)
Philippines	 PLDT	Limited Availability	● R3.2	● R4.0	
		General Availability			TC2945 (R5.0)
Poland	 FCN	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Portugal	 NOS	Limited Availability		● R4.0	● R5.0
		General Availability			
	 Potugal Telecom	Limited Availability	● R3.2 (MA)		
		General Availability		TC2827 (R4.0)	(R5.0)
	 Vodafone	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 VoIPPro	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Qatar	 Vodafone	Limited Availability	● R3.2		
		General Availability		TC2905 (R4.0)	(R5.0)
Romania	 RCS & RDS	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Romania	 Romtelecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Russia	 Telphin	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Saudi Arabia	 GO Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 STC	Limited Availability	● R3.2		
		General Availability		TC2942 (R4.0)	(R5.0)
Senegal	 Orange-Sonatel	Limited Availability			
		General Availability	TC2603 (R3.1) TC2819 (R3.2)	(R4.0)	(R5.0)
Serbia	 Telekom Srbija	Limited Availability			
		General Availability	TC2562 (R3.0) TC2820 (R3.2)	(R4.0)	(R5.0)
	 Telenor (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Telenor (OXO Static NAT - TOPO D)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
Seychelles	 Cable & Wireless	Limited Availability			
		General Availability	TC2803 (R3.2)	(R4.0)	(R5.0)
Singapore	 M 1	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 MyRepublic	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			












Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
Singapore	 NETPLUZ NetPluz Asia	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	 Starhub	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Singtel	Limited Availability				
		General Availability	TC2789 (R3.2)	(R4.0)	(R5.0)	
	 Telegate	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	Slovakia	 orange™ Orange	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
			General Availability			
 SWAN Swan		Limited Availability				
		General Availability	TC2691 (R3.1) TC2821 (R3.2)	(R4.0)	(R5.0)	
 Telekom Slovakia		Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
South Africa	 BACKSPACE Backspace	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 BIZTEC Biztec	Limited Availability				
		General Availability	TC2790 (R3.2)	(R4.0)	(R5.0)	
	 VoxTelecom (LAN-LAN/IP-VPN - TOPO A)	Limited Availability				
		General Availability	TC2554 (R3.0) TC2689 (R3.2)	(R4.0)	(R5.0)	
	 VoxTelecom (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				












Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Spain	 aire networks Aire Networks	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 citelia Conéctate con nosotros Citelia	Limited Availability		● R4.0	● R5.0
		General Availability			
	 Cloudio Internetoperator Cloudio	Limited Availability	● R3.2		
		General Availability		TC2925 (R4.0)	(R5.0)
	 colt Colt (LAN-LAN/IP-VPN - TOPO A)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 colt Colt (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2		
		General Availability		TC2926 (R4.0)	(R5.0)
	 GRUPO IB 360 Grupo IB 360	Limited Availability			
		General Availability	TC2911 (R3.2)	(R4.0)	(R5.0)
	 grupo universal Grupo Universal	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 LCR.com	Limited Availability			
		General Availability	TC2492 (R3.0) TC2655 (R3.1) TC2831 (R3.2)	(R4.0)	(R5.0)
	 movistar Telefonica (movistar)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 PREMIUM MAX Premium Max	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
 SARENET Sarenet (Sarevoz)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
	General Availability				












Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
Spain	 Sisnet	Limited Availability				
		General Availability	TC2738 (R3.2)	(R4.0)	(R5.0)	
	 TBC	Limited Availability				
		General Availability	TC2568 (R3.0) TC2832 (R3.2)	(R4.0)	(R5.0)	
	 Telecable	Limited Availability				
		General Availability	TC2727 (R3.2)	(R4.0)	(R5.0)	
	 VozTelecom	Limited Availability	● R3.2 (MA)	● R4.0 (MA)		
		General Availability			TC2948 (R5.0)	
	 Zerovoz	Limited Availability	● R3.0 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	Sri Lanka	 Dialog	Limited Availability	● R3.2	● R4.0	● R5.0
			General Availability			
 Sri Lanka Telecom		Limited Availability		● R4.0	● R5.0	
		General Availability				
Sweden	 TDC	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	 Tele 2	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Telia (Sip Entry)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	 TeliaSonera	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				











Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Switzerland	 E-fon	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 FL1.ch (ConVoip)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 ImproWare	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 lway.ch	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Peoplefone	Limited Availability			
		General Availability	TC2622 (R3.1) TC2833 (R3.2)	(R4.0)	(R5.0)
	 SIPCall.Ch	Limited Availability			
		General Availability	TC2564 (R3.0) TC2834 (R3.2)	(R4.0)	(R5.0)
	 Sunrise	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Swisscom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Ticino.com	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 UPC Cablecom (Router with SIP-ALG - TOPO B)	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 UPC Cablecom (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
	General Availability				

Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
Switzerland	 VTX Telecom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Tanzania	 TTCL	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Turkey	 NetGSM	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Turk Telekom	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
UEA	 etisalat Etisalat	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
Ukraine	 G R O U P DataGroup	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
United Kingdom	 FREE TO PERFORM 9 Group Telecomm.	Limited Availability			
		General Availability	TC2703 (R3.1) TC2807 (R3.2)	TC2816 (R4.0)	(R5.0)
	 Colt	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Gamma (Router with SIP-ALG - TOPO B)	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Gamma (OXO Static NAT - TOPO D)	Limited Availability			
		General Availability	TC2491 ed2 (R3.0) TC2740 (R3.2)	TC2844 (R4.0)	(R5.0)
	 Nasstar (GCI)	Limited Availability			
		General Availability		TC2788 (R4.0)	(R5.0)

Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
United Kingdom	 IceDigital	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Talk Talk	Limited Availability				
		General Availability	TC2496 (R3.0) TC2835 (R3.2)	(R4.0)	(R5.0)	
	 Voiceflex	Limited Availability				
		General Availability	TC2510 (R3.0) TC2846 (R3.2)	(R4.0)	(R5.0)	
	 VoiceHost (Remote Hosted NAT - TOPO C)	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 VoiceHost (OXO Static NAT - TOPO D)	Limited Availability				
		General Availability	TC2751 (R3.2)	(R4.0)	(R5.0)	
	 VoipUnlimited	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	Uruguay	 Antel	Limited Availability	● R3.2 (MA)		
			General Availability		TC2904 (R4.0)	(R5.0)
USA	 Access Point	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Akabis	Limited Availability				
		General Availability	TC2739 (R3.2)	(R4.0)	(R5.0)	
	 Allo Comm.	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Appia	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				

Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
USA	 ATC <small>American Telephone Company.com</small>	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Bandwidth.com	Limited Availability			
		General Availability	TC2566 (R3.0) TC2847 (R3.2)	(R4.0)	(R5.0)
	 Broadvox <small>EXPERIENCE MATTERS.</small>	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 CCI Networks <small>NETWORK SERVICES</small>	Limited Availability			
		General Availability	TC2613 (R3.0) TC2848 (R3.2)	(R4.0)	(R5.0)
	 CenturyLink <small>Century Link</small>	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Clearlyfly	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Comcast	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 CoreDial	Limited Availability		● R4.0	● R5.0
		General Availability			
	 Cox	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Cspire	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 Estech System Inc (ESI)	Limited Availability	● R3.2	● R4.0	● R5.0	
	General Availability				

Country	SIP Provider	Approval Type	Releases		
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0
USA	 Fusion	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Fusion 360°	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Inteliquent	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Net2Phone	Limited Availability		● R4.0	● R5.0
		General Availability			
	 One Ring Networks	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Pinpoint	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
	 Rise Broadband	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Saddleback Comm.	Limited Availability			
		General Availability	TC2605 (R3.0) TC2849 (R3.2)	(R4.0)	(R5.0)
	 Securenet	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)
		General Availability			
	 Shift 8	Limited Availability	● R3.2	● R4.0	● R5.0
		General Availability			
 S-NET	Limited Availability	● R3.2	● R4.0	● R5.0	
	General Availability				

Country	SIP Provider	Approval Type	Releases			
			Branch OXO CONNECT R3.X	Branch OXO CONNECT R4.0	Branch OXO CONNECT R5.0	
	 Sotel	Limited Availability	● R3.2 (MA)	● R4.0 (MA)	● R5.0 (MA)	
		General Availability				
	 Spectrum	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Time Warner	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Unite Private Networks	Limited Availability		● R4.0	● R5.0	
		General Availability				
	USA	 Univerge Blue	Limited Availability		● R4.0	● R5.0
			General Availability			
 Vitelity		Limited Availability		● R4.0	● R5.0	
		General Availability				
 Windstream		Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
Vietnam	 FPT	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				
	 Viettel	Limited Availability		● R4.0	● R5.0	
		General Availability				
	 VNPT	Limited Availability	● R3.2	● R4.0	● R5.0	
		General Availability				












(MA) Migrated Availability, indicates that a Limited Availability R10.3, Connect 2.x, Connect R3.x, Connect R4.0 or Connect R5.0 SIP Profile is available on the BP web site and you can readily use it for SIP trunk deployment. This Limited Availability SIP profile must be used together with the previous certified G.A Technical communication.












Any OXO sites you deploy with this L.A SIP Profile (there is no limit to the quantity of sites) are considered as Pilot sites. Therefore, please inform the SIP Technical support team (sip-for-smb@al-enterprise.com) about your site/s and they will monitor them on your behalf during the standard 4 week pilot period.












Note: L.A pilot site solutions comply with the same features and restrictions level that was previously certified in the G.A branch. This compatibility level is detailed in the associated G.A Technical communication.












Only if additional features or configuration changes are required on the L.A site but are not approved in the reference G.A Technical communication, will a limited test/trace phase need to be managed again in relation with the new changes.












4 Phased out Releases – GA solutions












Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Andorra	 Andorra Telecom		TC2452 (R2.X)
Australia	 Telstra	TC2355 (R10.3)	● R2.2 (MA)
Austria	 A 1 (Business VoIP)		TC2412 (R2.X)
	 A 1 (IP-SIP Trunk)		TC2411 (R2.X)
	 A1 (METRO)	TC2272 (R10.3)	● R2.2 (MA)
	 TELE 2	TC2111 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
Brazil	 Voitel	TC2166 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
Canada	 Bell Canada	TC2300 (R10.3)	● R2.2 (MA)
	 Telenet	TC2314 (R10.3)	TC2415 (R2.X)
France	 Add-On	TC2108 (R10.0) TC2282 (R10.3)	● R2.2 (MA)
	 Codepi	TC2280 (R10.3)	TC2424 (R2.X)












Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
France	 colt Colt (Remote Hosted NAT-TOPO C)		TC2512 (R2.X)
	 Coriolis Telecom Coriolis Telecom		TC2540 (R2.X)
	 fingerprint technologies Fingerprint	TC2408 (R10.3)	● R2.2 (MA)
	 HEXANET Hexanet	TC2042 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
	 Hexatel Hexatel	TC2294 (R10.3)	TC2548 (R2.X)
	 Jaguar network Leading your performance Jaguar		TC2614 (R2.X)
	 KEYYO COMMUNICATIONS Keyyo	TC1996 ed3 (R10.0) TC2293 (R10.3)	TC2427 (R2.X)
	 Legos Legos	TC2127 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 LEONIX Leonix		TC2500 (R2.X)
	 linkersip Linker	TC2520 (R10.3)	● R2.2 (MA)
	 Linkt Linkt		TC2426 (R2.1) TC2748 (R2.2)












Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
France	 Nerim		TC2371 (R2.0) ● R2.2 (MA)
	 Network Telecom		TC2454 (R2.X)
	 NXO Telecom		TC2465 (R2.X)
	 OBS-Biv	TC2072 (R10.1) TC2214 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
	 ONE OPERATEUR One Operateur (LAN-LAN/IP-VPN - TOPO A)	TC2152 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
	 ONE OPERATEUR One Operateur (Remote Hosted NAT - TOPO C)		TC2359 (R2.0) ● R2.2 (MA)
	 OpenIP	TC2071 (R10.0) TC2100 (R10.1) TC2164 (R10.2) TC2238 (R10.3)	● R2.2 (MA)
	 OpenIP (MyOPENIP)	TC2425 (R10.3)	TC2436 (R2.X)
	 OpenVNO (Alphalink)	TC2056 ed2 (R10.0) TC2204 (R10.2) ● R10.3 (MA)	TC2370 (R2.0) ● R2.2 (MA)
	 OVH	TC2031 ed2 (R10.0) TC2148 (R10.2) TC2281 ed2 (R10.3)	TC2464 (R2.X)
	 Unyc (Serveurcom)	TC2271 (R10.3)	TC2409 (R2.X)












Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
France	 Sewan	TC2397 (R10.3)	TC2356 (R2.0) ● R2.2 (MA)
	 SFR (Remote Hosted NAT-TOPO C)		TC2535 ed2 (R2.X)
	 Synelyans A	TC2088 ed2 (R10.0) TC2154 ed2 (R10.2) TC2259 (R10.3)	TC2451 (R2.X)
	 Telecom Object		TC2443 (R2.X)
	 Deutsche Telefon	TC2230 (R10.3)	● R2.2 (MA)
Germany	 Deutsche Telekom DeutschlandLAN SIP Trunk	TC2488 ed2 (R10.3)	TC2395 ed4 (R2.X)
	 Deutsche Telekom DLAN IP Voice/Data (Router with SIP-ALG-TOPO B)	TC2208 (R10.2) TC2237 (R10.3)	TC2284 (R2.0) ● R2.2 (MA)
	 Deutsche Telekom DLAN IP Voice/Data (Remote Hosted NAT-TOPO C)	TC2209 (R10.2) TC2245 (R10.3)	● R2.2 (MA) TC2327 (R2.0)
	 Easybell		TC2453 (R2.X)
	 Ecotel	TC2298 (R10.3)	● R2.2 (MA)
	 Ecotel Trunk 2.0	TC2396 (R10.3)	TC2283 (R2.0) TC2405 (R2.X)





Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Germany	 EnviaTel	TC2165 (R10.2) ● R10.3 (MA)	TC2466 (R2.X)
	 HFO Telecom	TC2174 (R10.2) TC2552 (R10.3)	● R2.2 (MA)
	 ITK Connect		TC2440 (R2.X)
	 PÿUR (HL Komm) (Remote Hosted NAT-TOPO C)	TC2022 (R10.0) ● R10.3 (MA)	TC2467 (R2.X)
	 PÿUR (HL Komm) (Router with SIP-ALG -TOPO B)	TC2332 (R10.3)	TC2404 (R2.X)
	 Ein Unternehmen der EnBW Plusnet (QSC)	TC2279 (R10.3)	TC2292 (R2.0) TC2442 (R2.X)
	 einfach. clever. verbunden. Reventix	TC2297 (R10.3)	TC2358 (R2.0) TC2406 (R2.X)
	 SIPgate	TC2189 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
	 NETWORK SOLUTIONS Soco	TC2239 (R10.3)	● R2.2 (MA)
	 SWT trilan GmbH SWT Trilan (DDI)	TC2216 (R10.3)	● R2.2 (MA)
	 Vodafone	TC2203 (R10.2) TC2217 (R10.3)	● R2.2 (MA)

Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Greece	 OTE	TC2295 (R10.3)	● R2.2 (MA)
Hungary	 Ace Telecom	TC2125 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Intellicom	TC2055 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
Ireland	 OnVoIP (G7eleven)	TC2081 (R10.1) ● R10.3 (MA)	TC2407 (R2.X)
	 Viatel	TC2330 (R10.3)	● R2.2 (MA)
Italy	 CloudItalia (with VPN MPLS)	TC2113 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 CloudItalia (without VPN MPLS)	TC2218 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
	 X-Stream	TC2299 (R10.3)	TC2357 (R2.0) TC2435 (R2.X)
Netherlands	 ICTprovider	TC2333 (R10.3)	TC2646 (R2.X)
	 My-Connect		TC2536 (R2.X)
	 Sollie.Comm		TC2648 (R2.X)

Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Netherlands	 ViPro Services	TC2383 (R10.3)	TC2647 (R2.X)
	 Voiceworks	TC2153 (R10.2) TC2273 (R10.3)	TC2369 ed2 (R2.X)
	 Ziggo	TC2070 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
Norway	 Altibox	TC2124 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Telenor (Remote Hosted NAT - TOPO C)	TC2172 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Telenor (OXO Static NAT - TOPO D)	TC2173 (R10.1) TC2487 (R10.3)	● R2.2 (MA)
Portugal	 Potugal Telecom	TC2107 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Vodafone	TC2229 (R10.3)	● R2.2 (MA)
Singapore	 M 1	TC2099 (R10.1) ● R10.3 (MA)	TC2434 (R2.X)
	 NetPluz Asia	TC2112 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
Slovakia	 Orange	TC2098 (R10.1) ● R10.3 (MA)	● R2.2 (MA)

Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Slovakia	 Telekom Slovakia	TC2441 (R10.3)	● R2.2 (MA)
South Africa	 VoxTelecom (LAN-LAN/IP-VPN - TOPO A)	TC2079 (R10.1) TC2313 (R10.3)	TC2372 ed2 (R2.X)
	 VoxTelecom (Remote Hosted NAT - TOPO C)	TC2030 ed2 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
Spain	 Grupo Universal	TC2213 (R10.2) TC2228 (R10.3)	TC2489 (R2.X)
	 LCR.com	TC2016 (R10.0) TC2082 (R10.1) TC2147 (R10.2) TC2224 (R10.3)	TC2260 (R2.0) TC2360 ed2 (R2.X)
	 Telefonica (movistar)	TC1997 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
	 Premium Max	TC2041 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
	 Sarenet (Sarevoz)	TC2240 (R10.3)	● R2.2 (MA)
	 TBC	TC2468 (R10.3)	● R2.2 (MA)
	 Voz Telecom	TC2090 (R10.1) ● R10.3 (MA)	TC2410 (R2.X)
	 Zerovoz	TC2270 (R10.3)	● R2.2 (MA)

Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
Sweden	 TDC	TC2043 (R10.0) ● R10.3 (MA)	● R2.2 (MA)
	 Telia (Sip Entry)	TC2354 (R10.3)	TC2373 (R2.0) ● R2.2 (MA)
Switzerland	 Peoplefone	TC2089 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Sunrise	TC2398 (R10.3)	● R2.2 (MA)
	 Ticino.com		TC2374 (R2.0) ● R2.2 (MA)
	 UPC Cablecom (Remote Hosted NAT - TOPO C)	TC2168 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
United Kingdom	 Gamma (Router with SIP-ALG - TOPO B)	TC2215 (R10.2) ● R10.3 (MA)	● R2.2 (MA)
	 Gamma (OXO Static NAT - TOPO D)	TC2126 (R10.1) TC2205 (R10.2) TC2331 (R10.3)	TC2296 (R2.0) TC2561 (R2.X)
	 Talk Talk		TC2463 (R2.X)
	 Voiceflex	TC2091 (R10.1) ● R10.3 (MA)	TC2329 (R2.0) ● R2.2 (MA)
Uruguay	 Antel	TC2567 (R10.3)	● R2.2 (MA)

Country	SIP Provider	Branch RCE 10.X	Branch OXO CONNECT R2.X
USA	 Clearfly		TC2328 (R2.0) ● R2.2 (MA)
	 Rise Broadband	TC2136 (R10.1) ● R10.3 (MA)	● R2.2 (MA)
	 Securenet		TC2511 (R2.X)
	 Sotel		TC2450 (R2.X)

5 Ongoing Projects

The following table gives a rough status of the approval projects that are being carried out.

Country	SIP Provider	Status
Australia	Mondo Talk	Tests in progress
Belgium	X2com	Task planned, tests not started yet
Canada	FGL Telecom	Tests in progress
France	Avelia	Task planned, tests not started yet
	Next-Operateur	Task planned, tests not started yet
	Netiwan	Task planned, tests not started yet
	Stella Telecom	Task planned, tests not started yet
	Wixip	Tests in progress
Germany	Global Connect	Task planned, tests not started yet
	Stadtwerke Wunsiedel	Tests in progress
	VSE Net Gmbh	Task planned, tests not started yet
Ghana	MTN	Tests in progress
Greece	Supervoice	Tests in progress
Hungary	UPC	Tests in progress
Italy	Bell International	Tests in progress
Ivory Coast	Orange	Tests in progress
Mauritius	Mauritius Telecom	Task planned, tests not started yet
Malaysia	Telekom Malaysia	Tests in progress
Netherlands	Mobicom	Tests in progress
Poland	3S-sat	Task planned, tests not started yet
	Itel	Tests in progress
Spain	Alisys	Tests in progress
	Euskaltel	Tests in progress
Taiwan	Chungwa Telecom	Task planned, tests not started yet
UK	AQL	Tests in progress
	British Telecom	Tests in progress
	Nasstar (Topo D)	Tests in progress

6 Aborted Projects

The following Public Operators were either:

- In the scope, but the approval project was finally cancelled.
- Already approved, but finally ended.

Country	SIP Provider	Status	ALE Reference
Germany	Ewe Tel (Remote Hosted NAT- TOPO C)	Provider's commercial offer is Phased Out <i>(November 2021)</i>	TC2539 (R3.0) TC2764 (R3.2)
Germany	Ewe Tel (Router with SIP-ALG - TOPO B)	Provider's commercial offer is Phased Out <i>(November 2021)</i>	

Submitting a Service Request

Please connect to our [eService Request](#) application.

Before submitting a Service Request, please be sure:

- The application has been certified via the AAPP if a third-party application is involved.
- You have read the release notes that list new features, system requirements, restrictions, and more, and are available in the [Technical Documentation Library](#).
- You have read through the related troubleshooting guides and technical bulletins available in the [Technical Documentation Library](#).
- You have read through the self-service information on commonly asked support questions and known issues and workarounds available in the [Technical Knowledge Center](#).

- END OF DOCUMENT -